



Thule Rapid System Kit 1013

> Instructions

RENAULT Clio, 3-dr Hatchback, 91-97

RENAULT Clio, 5-dr Hatchback, 91-97

The diagram is divided into several sections:

- Top Left:** A dashed box containing an information icon (i), a warning triangle, an illustration of a person reading instructions, and two instruction manuals labeled 'B' and 'A'. An arrow points from manual 'B' to manual 'A', which shows a Thule Rapid System 754 rack being installed on a car roof.
- Top Right:** A weight calculation diagram. It shows a bag labeled 'xx kg / xx lbs' plus a rack labeled '7 kg / 15,4 lbs' and two screws labeled '3 kg / 6,6 lbs'. Below this, an equals sign leads to a box containing 'Max. 50 kg' and 'Max. 110 lbs'.
- Bottom Left:** A dashed box containing a warning triangle, three instruction manuals (A, B, and a checklist), and an illustration of a person reading the manuals.
- Bottom Right:** A diagram of a car with arrows indicating the rack's position. A speedometer graphic shows a warning triangle between 40 km/h (25 Mph) and 80 km/h (50 Mph), with a maximum speed limit of 130 km/h (80 Mph).

ISO 11154-E

141013


C.20150501
519-1013-01

Bring your life

thule.com




16 x4



009 x4





x1



x1

1


	X (scale)	X (mm)	X (inch)
Renault Clio , 3-dr Hatchback, 91-97	22,5	876	34 1/2
Renault Clio , 5-dr Hatchback, 91-97	22,5	876	34 1/2




	Y (scale)	Y (mm)	Y (inch)
Renault Clio , 3-dr Hatchback, 91-97	20,5	856	33 1/4
Renault Clio , 5-dr Hatchback, 91-97	21,5	866	34 1/8

2



SRA




Renault Clio, 3-dr Hatchback, 91-97





Renault Clio, 5-dr Hatchback, 91-97



3



	W (mm)	Z (mm)	Y (mm)	W (inch)	Z (inch)	Y (inch)
Renault Clio, 3-dr Hatchback, 91-97	210	700	360	8 1/4	27 1/2	14 1/8



	W (mm)	Z (mm)	W (inch)	Z (inch)
Renault Clio, 5-dr Hatchback, 91-97	240	700	9 1/2	27 1/2

